



250

**COPY OF PAPERS
ORIGINALLY FILED**

JC16-2nd PCT/PTO 10 MAY 2002

~~4002~~

PATENT
Atty. Dkt. No. BOUL/0007

19

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

**In re Application of:
Robert Bridges**

Serial No.: 09/936,795

I.A. Filed: March 05, 2000

Confirmation No.: 1519


For: A Device For Detecting The
Presence Of A Chemical
Contaminant

Assistant Commissioner for
Patents
Washington, D.C. 20231

Dear Sir:

Group Art Unit: 2635

Examiner: Unknown



CERTIFICATE OF MAILING	37 CFR 1.8
I hereby certify that this correspondence is being deposited on <u>2 May</u> , 2002 with the United States Postal Service as First Class Mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231.	
<u>2 May 02</u>	<u>Allen B. Atter</u>
Date	Signature

REQUEST FOR CORRECTION OF ERRORS ON FILING RECEIPT


The Filing Receipt for the above-referenced application contains errors regarding the total claims and independent claims. The Filing Receipt recites the total claims as [29]. The total claims should read 28. Also, the filing recites the independent claim as [4]. The independent claims should read 3.

Attached is a copy of the Filing Receipt with the above changes noted thereon. Please correct these errors or notify the applicants of the reasons for denying the request.

Respectfully submitted,

Conrad B. Pitter

William B. Patterson
Registration No. 34,102
MOSER, PATTERSON & SHERIDAN, L.L.P.
3040 Post Oak Blvd., Suite 1500
Houston, TX 77056
Telephone: (713) 623-4844
Facsimile: (713) 623-4846
Attorney for Applicant



UNITED STATES PATENT AND TRADEMARK OFFICE

COPY OF PAPERS
ORIGINALLY FILED

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER,	FILING DATE	GRP ART UNIT	FIL FEE REC'D	ATTY.DOCKET.NO	DRAWINGS/	TOT CLAIMS	IND CLAIMS
09/936,795 ✓	02/19/2002	2635 ✓	1232	BOUL/0007 ✓	3 ✓	E29 E43 Insert	CONFIRMATION NO. 1519 ✓

William B Patterson
Moser Patterson & Sheridan
Suite 1500
3040 Post Oak Boulevard
Houston, TX 77056

FILING RECEIPT



OC000000007713906

Date Mailed: 04/02/2002

Receipt is acknowledged of this nonprovisional Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Customer Service Center. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

✓ Robert Bridges, Berkshire, UNITED KINGDOM; ✓

Domestic Priority data as claimed by applicant

THIS APPLICATION IS A 371 OF PCT/GB00/00959 '03/15/2000

Foreign Applications

✓ UNITED KINGDOM 9906014.7 03/16/1999

Projected Publication Date: Not Applicable, filed prior to November 29,2000

Non-Publication Request: No

Early Publication Request: No

Title

Device for detecting the presence of a chemical contaminant ✓

Preliminary Class

340